

DIGITAL **Output** As seen in the December 2018 issue

SUPERW



**AWARD-WINNING
JETI TAURO H3300 LED**

**EXTREME PRODUCTIVITY.
EXTREME QUALITY.**

agfagraphics.us
shopagfa.com

AGFA *Agfa*
WE EMBODY PRINT

INFO #10

**DON'T LET PRINTING ON WARPED BOARD
GET YOU BENT OUT OF SHAPE**

**THE OCÉ ARIZONA 6100 HIGH FLOW
VACUUM SERIES PRINTER WILL:**

- Eliminate the need and costs of taping down warped boards
- Print a wider range of applications than any hybrid can

Scan the QR Code to request a FREE sample print!

Canon
CANON SOLUTIONS AMERICA

csa.canon.com

© 2018 Canon Solutions America, Inc. All rights reserved.

INFO #11

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing		
						Production	Quality	Inches	Meters			
100	Agfa Graphics agfagraphics.us	Jeti Mira MG2716 HS	UV LED Curable	6+W	920x1,200	1,776	893	106	2.69	CM		
		Jeti Mira MG2732 HS	UV LED Curable	6+W	920x1,200	1,776	893	106	2.69	CM		
		Jeti Tauro H2500 LED	UV LED Curable	6, 6+4W, 6+8W, or 6+4W2P	1,016x1,200	2,960	1,485	100	2.54	CM		
		Jeti Tauro H3300 LED	UV LED Curable	6, 6+12W, 6+8W4P	635x1,200	CM	CM	126	3.2	CM		
		Anapurma FB2540i LED	UV LED Curable	6+W	720x1,440	786	527	100	2.54	CM		
		Anapurma H2500i LED	UV LED Curable	6+W	720x1,400	840	614	98	2.5	CM		
		Anapurma H3200i LED	UV LED Curable	6+W	720x1,400	936	689	126	3.2	CM		
		Anapurma RTR3200i LED	UV LED Curable	4+W or 6	720x1,440	915	700	126	3.2	CM		
		101	Canon Solutions America, Inc. csa.canon.com	Océ Arizona 318 GL	UV-Curable	4+W	1,440	131	90	98.4	2.5	CM
				Océ Arizona 365 GT	UV-Curable	5	1,440	239	165	98.4	2.5	CM
Océ Arizona 6160 XTS	UV-Curable			6	1,400	1,076	775	98.4	2.5	CM		
Océ Arizona 6170 XTS	UV-Curable			7	1,400	1,076	775	98.4	2.5	CM		
Océ Arizona 6160 HFV	UV-Curable			6	1,400	1,076	775	98.4	2.5	CM		
Océ Arizona 6170 HFV	UV-Curable			7	1,400	1,076	775	98.4	2.5	CM		
Océ Arizona 1240 GT	UV-Curable			4	1,400	362	153	98.4	2.5	CM		
Océ Arizona 1240 XT	UV-Curable			4	1,400	377	157	98.4	2.5	CM		
Océ Arizona 1260 GT	UV-Curable			6	1,400	362	153	98.4	2.5	CM		
Océ Arizona 1260 XT	UV-Curable			6	1,400	377	157	98.4	2.5	CM		
102	CET Color cetcolor.com	Q5-Series 500	UV-Curable	6+W	1,200x1,200	960	249	48x96	CM	CM		
		Q5-Series 500h	UV-Curable	6+W	1,200x1,200	960	249	98	2.5	CM		
		Q5-Series 1000	UV-Curable	6+W	1,200x1,200	1,152	336	60x120	CM	CM		
		Q5-Series 1000h	UV-Curable	6+W	1,200x1,200	1,152	336	126	3.2	CM		
		K2-series 250	UV-Curable	6+W	1,200x1,200	CM	CM	CM	CM	CM		
		K2-3200UV	UV-Curable	6+W	1,200x1,200	600	CM	126	3.2	CM		
		103	d.gen International dgen.com	Teleios Grande H6	DS, PIG, REA	6	2,400	1,520	790	130	3.3	CM
				Teleios Grande G5	DS, PIG, REA	4 or 8	2,400	3,200	1,200	130	3.3	CM
				Teleios/XL2600G5	DS, PIG, REA	4 or 8	2,400	2,880	1,000	105	2.6	CM
		104	DGI dgi-net.com	VE-3204X	ES	4	1,440	753	538	130	3.3	CM
FI-3204X	DS, DIS			4.6, or 8	1,440	753	485	130	3.3	CM		
FH-3204	DS, DIS			4 or 6	1,800	1,238	1,012	126	3.2	CM		
105	Dillli Co. dillli.co.kr	Neo Titan 1600	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM		
		Neo Titan 2500	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM		
106	Durst Image Technology US LLC durstus.com	Rho 1312 Plus	UV-Curable	8	1,000	10,700	6,670	98	2.5	CM		
		Rho 1330	UV-Curable	8	600	13,400	9,400	98	2.5	CM		
		Rho 312R Plus	UV-Curable	8	1,200	4,300	1,635	196	5	CM		
		Rho 312R Plus	UV-Curable	8	1,200	3,250	1,375	126	3.2	CM		
		Rho P10 250 HS Plus	UV-Curable	8	1,000	4,300	1,500	98	2.5	CM		
		Delta WT 250	Water	CM	1,000	1,890	1,215	98	2.5	CM		
		Rhotex 325	WB DIS Dye	8	800	4,130	1,800	126	3.2	CM		
		Alpha 330	WB, D, DDS, PIGM, REA	8	500	15,820	7,910	130	3.3	CM		
107	EFI efi.com	Quantum	UV	7+W	1,200	2,687	2687	120/196	3/5	CM		
		Quantum LX	UV LED	8	1,200	CM	CM	120/195	3/5	CM		
		Reggiani PRO 340	AQ DIS Dye	4	2,400	8,600	CM	133	3.4	CM		
		VUTEK 5r	UV LED	7+W	1,200	4,896	CM	198	5	CM		
		VUTEK 3r	UV LED	7+W	1,200	3,715	CM	138	3.5	CM		
		VUTEK h3	UV LED	8+W	1,200	CM	CM	126	3.2	CM		
		VUTEK h5	UV LED	8+W	1,200	CM	CM	126	3.2	CM		
		VUTEK LX3 Pro	UV LED	8+W	1,000	3,400	2,300	126	3.2	CM		

DE Performance

Grand Format Printers, 95 Inches or Wider

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing
						Production	Quality	Inches	Meters	
107	EFI, continued efi.com	VUTEk GS3250	UV-Curable	8+W	1,000	2,400	600	126.6	3.2	CM
		VUTEk GS3250LX	UV LED	4+W or 8+W	1,000	2,400	1,200	126.5	3.2	CM
		VUTEk GS3250LXr	UV LED	6	1,000	1,200	600	126.5	3.2	CM
		VUTEk GS3250r	UV-Curable	6	1,000	2,400	1,200	126.5	3.2	CM
		VUTEk GS5000r	UV-Curable	4, 8, or 8+W	1,000	3,100	1,550	196.8	5	CM
		VUTEk GS5250LXr Pro	UV LED	8+W	1,000	2,800	700	204	5.1	CM
		VUTEk GS5500LXr Pro	UV LED	8 or 8+W	1,000	2,800	600	196.8	5	CM
		VUTEk HS100 Pro	UV-Curable	8	1,000	3,600	600	126.6	3.2	CM
108	Electronic Sign Supply Corp. electrosignsupply.com	K-320S	Solvent	8	720x1,400	236	129	120	3	CM
		E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM
		Q-320S	Solvent, ES, SUB	7	720x1,440	1,830	646	120	3	CM
		UV+ 320H Series X	UV	4, 8, or 16	CM	969	538	126	3.2	CM
		MUV-320 R2R	UV	7	CM	969	538	120	3	CM
		QU-Jet	UV LED	4 or 6	720x1,440	2,047	1,339	126	3.2	CM
		T-320W	SUB, DIS, PIG	4, 6, or 8	1,080	CM	CM	126	3.2	CM
		E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM
109	Fujifilm NA Corp., Graphic Systems. fujifilminkjet.com	Acuity LED 3200R	UV LED	8	1,200	1,184	215	126	3.2	CM
		Acuity Select 20 X2	UV	4, 6, or 8	1,200	368	153	120	3	CM
		Acuity Select HS 30 X2	UV	8	1,200	696	280	120	3	CM
		Acuity F	UV	6 or 7	1,200	1,668	775	120	3	CM
		Acuity Ultra Series	UV	6 or 6+2W	1,200	2,540	1,485	202	5.13	CM
		Uvistar Hybrid 320	UV	8	1,200	2,100	730	123	3.1	CM
		Inca Onset XI-LT	UV	4, 6, or 8	1,200	2,152	2,152	126	3.2	CM
		Inca Onset XI	UV	4, 6, or 8	1,200	4,304	3,336	126	3.2	CM
		Inca Onset X2	UV	8+	1,200	6,889	5,382	126	3.2	CM
		Inca Onset X3	UV	8+	1,200	9,688	8,611	126	3.2	CM
		SpyderX	UV	4+LcM or 4+ LcM2W	1,200	1,981	732	126	3.2	CM
		110	Gandy Digital gandydigital.com	Pred8tor	UV	4+W, 6+W, or 8	900x720	1,410	480	96
Domin8tor	UV			4+W, 6+W, or 8	900x720	1,650	576	120	3	\$325,000
Softjet4 - 3312	WB			4 or 6	900x600	800	430	130	3.3	\$225,000
Softjet4 - 3308	WB			4 or 6	900x600	650	300	102	2.6	\$125,000
Fascin8tor	UV			4+W, 6+W, or 8	900x720	2,500	1,250	197	5	\$325,000
Termin8tor	ES/MS			4	600x1,200	2,200	700	126	3.2	\$125,000
Softjet5000	WB			4 or 6	600x1,200	3,444	1,292	209	5.3	CM
111	Hollanders Printing Systems hollanders-pps.nl	ColorBooster 250	WB: DIS, SUB	8	900	1,290	690	99	2.52	CM
		ColorBooster 320	WB: DIS, SUB	8	900	1,290	775	127	3.22	CM
		ColorBooster DS 320	WB: DIS, SUB	CM	720	860	860	126	3.17	CM
112	HP Inc. hp.com/go/graphicarts	Latex 1500 Printer*	LX	6+0	1,200x1,200	800	N/A	126	3.2	CM
		Latex 3200 Printer*	LX	6+0	1,200x1,200	1,950	290	126	3.2	CM
		Latex 3600 Printer*	LX	6+0	1,200x1,200	1,950	290	126	3.2	CM
		Latex R2000 Plus Printer*	LX	6+0+Overcoat	1,200x1,200	948	496	126	3.2	CM
		Scitex 17000 Corrugated Press	UV-Curable	4	CM	10,764	N/A	126	3.2	CM
		Scitex 15500 Corrugated Press	UV-Curable	6	CM	7,165	N/A	126	3.2	CM
		Scitex 11000 Industrial Press	UV-Curable	6	CM	6,997	N/A	126	3.2	CM
		Scitex 9000 Industrial Press	UV-Curable	6	CM	CM	N/A	126	3.2	CM
		Scitex FB750 Industrial Printer	UV-Curable	6+W	1,200x600	915	107	98	2.5	CM
		PageWide Web Press T400S	WB PIG	4	1,200	125,000	N/A	108	2.7	CM
113	Infiniti Fina aeromatrix.com	Fina 250Q	Solvent	4	1,440	434	267	98	2.5	CM
		Fina 320SW	Solvent	4	1,200	540	111	126	3.2	CM
		Fina 330PQ	Solvent	4	1,440	452	170	126	3.2	CM
		Fina 330TX	WB SUB	4 or 6	600x1,600	1,800	450	125	3.175	CM
		Fina 2512 UV	UV	6+W	2,400	290	182	96	2.4	CM

KEY

- AQ = Aqueous
- C = Clear
- CM = Contact Manufacturer
- DIS = Disperse
- DS = Dye-Sublimation
- ES = Eco-Solvent
- Lc = Light Cyan
- Lm = Light Magenta
- LS = Light-Solvent
- LX = Latex
- MS = Mild-Solvent
- N/A = Not Applicable
- O = Optimizer
- P = Primer
- PIG = Pigment
- REA = Reactive
- SUB = Sublimation
- V = Varnish
- W = White
- WB = Water-Based

All printers are piezoelectric drop on demand technology except when noted with * which denotes thermal technology.

MS
PRINTING SOLUTIONS

a **DOVER** company
DIGITAL PRINTING

The single Pass,
the proven choice.

MS-LARIO
More than 30 units
installed worldwide!
MS-Lario is the
Digital Print Machine
with the highest
productivity in
the world.

www.msitaly.com

INFO #12

**Optimum Performance.
Superior Quality.
Industrial Strength.**

104" ColorPainter™ Printer
High-speed productivity with low-odor
SX Ink in 8-color configuration.

OKI

LEARN MORE
1-800-264-1272
www.oki.com/us/colorpainter


INFO #13

SUPERWIDE Performance

Grand Format Printers,
95 Inches or Wider

Perform beyond
the average

speed - quality - versatility



swissqprint.com

swissqprint

INFO #14

UPGRADE YOUR EXPECTATIONS

However you measure perfection, the **VANGUARD VK300D** raises the bar in UV LED flatbed printing.

vanguarddigital.com



Selected "Product of the Year" by SGIA 3rd year in a row!



VANGUARD
DIGITAL PRINTING SYSTEMS

INFO #15

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing
						Production	Quality	Inches	Meters	
113	Infiniti Fina, continued	Economic Sky 330SW	Solvent	4 or 8	1,200	678	167	125	3.175	CM
	aeromatrix.com	Fina 250PQ	Solvent	4	1,440	914	226	98	2.49	CM
114	Mimaki USA, Inc. mimakiusa.com	JFX200-2531	UV-Curable	4+W+C,4+L+M+W,or4+W	1,200	269	CM	122	3.1	CM
		JFX500-2131	UV-Curable	4+W or 4+W+C	1,200	645	CM	122	3.1	CM
		UV55-320	UV	4+L+M+W	1,200	1,194	CM	127.9	3.25	CM
		TS500P-3200	DS	6	1,080	1,937	CM	129.9	3.3	CM
115	MS Printing Solutions msitaly.com	JPK EVO	REA, Acid, DIS, SUB, PIG	4 to 8	600x600	10,333	5,600	126	3.2	CM
		Lario	REA, Acid, DIS, SUB, PIG	4 to 8	600x600	65,000	50,000	126	3.2	CM
		JP4 320	SUB	4 to 8	600x600	3,000	1,700	126	3.2	CM
116	Mutoh America, Inc. mutoh.com	ValueJet 2638X	ES/AQ	4, 7, or 8	1,440	1,168	CM	104	2.6	\$49,995
117	Novus Imaging, Inc., an M&R Company novusimaging.com	Synergia Hybrid/UV	UV	4+W, 6+W, 8+W, or 9+W	2,400	1,500	860	126	3.2	CM
		ULTRA UV LED Flatbed	UV LED	4+W, V	1,200	1,340	680	126	3.2	CM
		ULTRA 3200 Roll To Roll	UV LED	4+W, V	1,200	1,340	680	126	3.2	CM
118	OKI Data Americas oki.com/us/colorpainter	ColorPainter H3-104s	ES	8	900x900	609	406	104	2.6	\$75,995
119	Paradigm Imaging Group paradigmimaging.com	PIXis 32ES	ES	4	1,440	430	720	126	3.2	\$28,500
		PIXis 253UV	UV	6	1,080x1,440	252	CM	96x48	2.5	\$79,500
		PIXis 2030UV	UV	6	1,080x1,440	252	CM	72x120	3	\$95,500
		SID Mercury 320	ES	4 or 6	720	807	312	126	3.2	\$39,500
		SID Mercury GS 320	ES	4 or 6	1,440	1,011	258	126	3.2	\$64,900
		SID Titan 320	ES	4 or 6	720	818	279	126	3.2	\$32,500
		SID Titan 320 GT	ES	6	720	914	409	126	3.2	\$39,900
		SID Titan 320 GS	ES	6	1,440	979	333	126	3.2	\$52,900
		SID Triton S 250	ES	4	2,880	387	193	98	2.5	\$26,900
120	PrinterEvolution, LLC printerevolution.com	SID Triton S 320	ES	4	2,880	437	236	126	3.2	\$31,900
		SID Xpress	ES	4	720	2,818	753	126	3.2	\$63,500
		Eos 100 DS	AQ DS	8 to 12	1,200	820	440	100	3.5	CM
		Eos 126 DS	AQ DS	4 to 12	1,200	925	580	126	3.2	CM
		Evo33 DS 4C	AQ DS	4	1,200	860	580	126	3.2	CM
		Kayo126 DS	AQ DS	8 to 12	1,200	870	470	126	3.2	CM
		T2600 DS	AQ DS	2 or 4	1,200	1,700	1,100	102	2.6	CM
		T3200 DS	AQ DS	2 or 4	1,200	1,700	1,100	126	3.2	CM
		D2600DS	AQ DS	2 or 4	1,200	1,700	1,100	102	2.6	CM
121	SCG Digital America Inc. scg-america.com	D3200 DS	AQ DS	2 or 4	1,200	1,700	1,100	126	3.2	CM
		D5300 DS	AQ DS	4 or 8	1,200	2,020	1,300	208	5.3	CM
		GDS200 AE-S	ES	4, 6, or 8	1,440	430	215	128	3.2	CM
		GDS200 AE-TX	SUB	4, 6, or 8	1,440	430	215	128	3.2	CM
		SUPRAQ 3200-TX6	WB DIS SUB	6	400	CM	CM	128	3.2	CM
122	Strategic Printing Solution, Inc. stratojetusa.com	GDS200 CR-UV	UV	4 or 6	1,200	161	129	128	3.2	CM
		M3200-UV	UV	6+W	1,200	CM	CM	128	3.2	CM
		Shark FBR 2512	UV-Curable	4 to 8	1,200	1,300	700	96	2.5	\$118,000
		Shark EFB 2512	UV-Curable	4 to 8	1,200	600	360	96	2.5	\$55,999
		Shark FB 2532	UV-Curable	4 to 8	1,200	1,300	700	96	2.5	CM
123	swissqprint swissqprint.com	Shark FB 2512	UV-Curable	4 to 8	1,200	1,300	540	96	2.5	CM
		Shark II UV	UV-Curable	4 to 8	1,200	1,050	450	131	3.2	\$78,000
		Oryx 3	UV LED	9	1,080	700	151	98	2.5	CM
		Impala 3	UV LED	9	1,080	1,938	517	98	2.5	CM
		Nyala 3	UV LED	9	1,080	2,217	581	126	3.2	CM
124	Teckwin International LLC teckwin.com	Impala 3S	UV LED	9	1,080	3,412	958	98	2.5	CM
		Nyala 3S	UV LED	9	1,080	3,982	1087	126	3.2	CM
		TW 3200r	UV-Curable	4, 4+W, 6, or 6+W	CM	1,689	215	125	3.2	CM
		TW 5000r	UV-Curable	4, 4+W, 6, or 6+W	CM	2,098	592	196	5	CM
125	Vanguard Digital Printing Systems vanguarddigital.com	TeckPro UV3200	UV-Curable	7	800x800	990	450	130	3.3	CM
		TS253L	UV-Curable	6+2W	CM	CM	CM	96	2.5	CM
		VK300D	UV LED Curable	10	1,800	1,980	1,500	126	3.2	CM
125	Vanguard Digital Printing Systems vanguarddigital.com	VRSD	UV LED Curable	10	1,800	720	384	99	2.5	CM
		VT3200	DS	8	1,800	1,960	550	126	3.2	CM
		VKR3200	UV	4, 4+W	1,800	1,980	1,500	126	3.2	CM