



GRAND FORMAT

Digital Output considers devices over 95 inches in width grand format.

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing				
						Production	Quality	Inches	Meters					
151	Agfa Graphics agfapitman.com	Anapurna M2500	UV-Curable	6+W	720x1,440	646	86	98	2.5	CM				
		Anapurna M2500i	UV-Curable	6+W	720x1,440	1,238	172	98	2.5	CM				
		Anapurna M2540i FB	UV-Curable	6+W	540x1,080	1,001	97	100	2.54	CM				
		Anapurna M3200 RTR	UV-Curable	6+W	720x1,440	1,249	97	126	3.2	CM				
		Anapurna M3200i RTR	UV-Curable	4, 6, or 4+W	720x1,440	807	194	126	3.2	CM				
		Jeti Titan S	UV-Curable	6+W	720x1,200	908	1,722	126	3.2	CM				
		Jeti Titan HS	UV-Curable	6+W	720x1,200	1,722	1,722	126	3.2	CM				
		Jeti Mira MG2716 S	UV-Curable	6+W	720x1,200	1,109	172	106	2.69	CM				
		Jeti Mira MG2732 S	UV-Curable	6+W	720x1,200	1,109	172	106	2.69	CM				
		Jeti Mira MG2716 HS	UV-Curable	6+W	720x1,200	2,217	344	106	2.69	CM				
152	Ampla Digital ampladigital.com.br	Targa XT	Solvent	4	1,200	3,443	CM	126	3.2	CM				
		Targa XT Hybrid LED UV	UV-Curable	4+W	1,200	1,076	CM	126	3.2	CM				
		Targa UV Flatbed	UV-Curable	4+W, V	1,200	764	CM	96x48	2.4x1.2	CM				
		153	Canon U.S.A., Inc. usa.canon.com	Arizona 318 GL	UV-Curable	4+W	1,440	131	90	98.4	2.5	CM		
				Arizona 365 GT	UV-Curable	4+W	1,440	239	165	98.4	2.5	CM		
				Arizona 440 GT	UV-Curable	4	1,440	219	151	98.4	2.5	CM		
				Arizona 440 XT	UV-Curable	4	1,440	226	155	120	3	CM		
				Arizona 460 GT	UV-Curable	4+2W or 4+W, V	1,440	219	151	98.4	2.5	CM		
				Arizona 460 XT	UV-Curable	4+2W or 4+W, V	1,440	226	155	120	3	CM		
				Arizona 480 GT	UV-Curable	6+2W or 6+W, V	1,440	264	151	98.4	2.5	CM		
Arizona 480 XT	UV-Curable			6+2W or 6+W, V	1,440	272	155	120	3	CM				
Arizona 640 GT	UV-Curable			4	1,440	404	285	98.4	2.5	CM				
Arizona 640 XT	UV-Curable			4	1,440	431	303	120	3	CM				
154	CET Color cetcolor.com	Q5-Series 500	UV-Curable	4+W	1,200x1,200	960	576	98	2.5	\$84,995				
		Q5-Series 500h	UV-Curable	4+W	1,200x1,200	960	576	100	2.5	\$84,995				
		Q5-Series 1000	UV-Curable	4+W	1,200x1,200	1,152	576	120	3	\$84,995				
		Q5-Series 1000h	UV-Curable	4+W	1,200x1,200	1,152	576	126	3.2	\$84,995				
		155	d.gen International dgen.com	Teleios Black 2500	DS	4	1,440	800	400	105	2.6	CM		
				Teleios Grande G5	DS/Pigment	4 or 8	2,400	3,200	1,200	130	3.3	CM		
				Teleios XL2600G5	DS/Pigment	4 or 8	2,400	2,880	1,000	105	2.6	CM		
				156	DGI dgi-net.com	VE-3204D	LS	4	1,440	484	CM	126	3.2	CM
						FTII-3204D	DS	4	1,440	1,292	323	126	3.2	CM
						157	Digitex Printing gunsjet.com	R4-SR/WR3312	Solvent, Pigment, DS	CM	1,200x600	1,033	720	130
R4-SR/WR3308	Solvent, Pigment, DS							CM	1,200x600	688	480	130	3.3	CM
R4-SR/WR2608	Solvent, Pigment, DS							CM	1,200x600	688	480	102	2.5	CM
ESA-SR/WR3202	ES, SUB, WB							CM	1,440	580	320	126	3.2	CM
ESA-DS 3202	SUB							4	1,440	580	320	126	3.2	CM
G5-UV2513	UV LED Curable	CM	720x1,200					299	1200	98	2.5	CM		
158	Dilli Co. dilli.co.kr	Neo Titan 1600	UV-Curable					6+W, C	720x1,440	360	CM	98	2.5	CM
		Neo Titan 2500	UV-Curable					6+W, C	720x1,440	360	CM	98	2.5	CM
159	Durst Image Technology durstus.com	Rho 101Z	UV-Curable	8	1,000			5,300	4,090	98	2.5	CM		
		Rho 1030	UV-Curable	8	600			10,700	7,500	98	2.5	CM		
		Rho 131Z	UV-Curable	8	1,000	6,600	5,100	98	2.5	CM				
		Rho 1330	UV-Curable	8	600	13,400	9,400	98	2.5	CM				
		Rho 512R	UV-Curable	8	1,000	3,765	1,970	196	5	CM				
		Rho 512R	UV-Curable	8	1,000	2,950	1,370	126	3.2	CM				
		Rho P10 250	UV-Curable	8	1,000	2,500	700	98	2.5	CM				
		Rho P10 250 HS	UV-Curable	8	1,000	4,200	1,500	98	2.5	CM				
		Rhotex 322	WB D Dye	8	1,200	1,500	1,070	126	3.2	CM				
		Rhotex HS	WB D Dye	7	1,200	4,950	3,300	130	3.3	CM				
160	EFI efi.com	Matan Barak 4Q	UV	4	1,200	CM	CM	120/196	3/5	CM				
		Matan Barak 8Q	UV	4 or 8	1,200	CM	CM	120/196	3/5	CM				
		Matan Barak 8QW	UV	8+W	1,200	CM	CM	120/196	3/5	CM				
		Matan Barak HS	UV	4	1,200	CM	CM	120/196	3/5	CM				
		Matan Barak IQ	UV	4	1,200	CM	CM	120/196	3/5	CM				

Anapurna M2540i FB
True flatbed. True quality.
True value.

The Anapurna M2540i FB is a 6-color plus white high-speed, UV-curable flatbed inkjet printer.

800-526-5441 x 857-2452
www.agfapitman.com

AGFA *Agfa*
STAY AHEAD. WITH AGFA GRAPHICS.

A T PRINTERS



INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing		
						Production	Quality	Inches	Meters			
160	EFI, <i>continued</i> efi.com	Matan Quantum	UV LED	8	1,200	CM	CM	120/195	3/5	CM		
		MatanFlex	UV	4	1,200	CM	CM	120	3	CM		
		R3225	UV-Curable	4 or 8	1,200	939	300	126	3.2	CM		
		Reggiani PRO 340	Aqueous D Dye	4	2,400	8,600	CM	133	3.4	CM		
		VUTEk GS3LX Pro	UV LED	CM	1,000	CM	CM	126	3.2	CM		
		VUTEk GS3250	UV-Curable	8+W	1,000	2,400	600	126	3.2	CM		
		VUTEk GS3250LX	UV LED	4+W or 8+W	1,000	2,400	1,200	126	3.2	CM		
		VUTEk GS3250LXr	UV LED	6	1,000	1,200	600	126	3.2	CM		
		VUTEk GS3250r	UV-Curable	6	1,000	2,400	1,200	126	3.2	CM		
		VUTEk GS5000r	UV-Curable	4, 8, or 8+W	1,000	3,100	1,550	196	5	CM		
		VUTEk GS5500LXr Pro	UV LED	8 or 8+W	1,000	2,800	600	196	5	CM		
		VUTEk HS100 Pro	UV-Curable	8	1,000	3,600	600	126	3.2	CM		
161	Electronic Sign Supply Corp. electronicsignsupply.com	K-320S	Solvent	8	720x1,400	236	129	120	3	CM		
		E-320SW	ES, D, WB	4	CM	592	291	126	3.2	CM		
		Q-320S	Solvent, ES, SUB	7	720x1,440	1,830	646	120	3	CM		
		UV+ 320H Series X	UV	4, 8, or 16	CM	969	538	126	3.2	CM		
		MUV-320 R2R	UV	7	CM	969	538	120	3	CM		
		QU-Jet	UV LED	4 or 6	720x1,440	2,047	1,339	126	3.2	CM		
		T-320W	SUB, D, Pigment	4, 6, or 8	1,080	CM	CM	126	3.2	CM		
		E-320SW	ES, D, WB	4	CM	592	291	126	3.2	CM		
		162	Fujifilm NA Corp. fujifilminkjet.com	Acuity Select	UV-Curable	4, 6, or 8	1,200	219	151	98.4	2.5	CM
				Acuity Select HS	UV-Curable	4 or 6	1,200	404	285	98.4	2.5	CM
				Acuity Select HS-X2	UV-Curable	4 or 6	1,200	431	302	98.4	2.5	CM
				Acuity Select X2	UV-Curable	4, 6, or 8	1,200	226	155	98.4	2.5	CM
Acuity F	UV-Curable			6 or 7	1,200	1,076	775	98.4	2.5	CM		
Acuity F	UV-Curable			6 or 7	1,060x900	1,076	775	98.4	2.5	CM		
Inca Onset Q40i	UV-Curable			4, 6, or 8	1,060x900	3,283	3,229	123	3.1	CM		
Inca Onset R40i	UV-Curable			4, 6, or 8	1,060x900	4,304	3,336	123	3.1	CM		
Inca Onset R40-LT	UV-Curable			4, 5, 6, or 7	1,060x900	3,014	3,014	123	3.1	CM		
Inca Onset R50i	UV-Curable			8	1,060x900	6,458	5,167	123	3.1	CM		
Inca Onset S40i	UV-Curable			4, 6, or 8	600	3,436	3,000	123	3.1	CM		
163	Gandy Digital gandydigital.com			Pred8tor	UV	4+W or 6+W, Optional C	900x720	960	480	96	2.5	\$350,000
		Domin8tor	UV	4+W or 6+W, Optional C	900x720	1,150	576	120	3	\$425,000		
		Softjet4 - 3312	WB	4 or 6	900x600	1,400	430	130	3.3	\$175,000 to \$225,000		
		Softjet4 - 3308	WB	4 or 6	900x600	1,076	300	102	2.6	\$100,000 to \$125,000		
		Si8te 3.2	UV	4+W or 6+W, Optional C	600x600	1,184	350	126	3.3	\$225,000		
		Si8te 2.6	UV	4+W or 6+W, Optional C	600x600	CM	CM	106	2.6	\$185,000		
		164	Hewlett-Packard hp.com/go/graphicarts	HP Latex 280*	Latex	6	1,200x1,200	753	99	104	2.64	CM
				HP Latex 850*	Latex	6	1,200x1,200	1,905	290	126	3.2	CM
				HP Latex 3100*	Latex	7	1,200x1,200	1,950	290	126	3.2	CM
				HP Latex 3500*	Latex	7	1,200x1,200	1,950	290	126	3.2	CM
				HP Scitex 17000 Corrugated	UV-Curable	4	CM	10,764	N/A	126	3.2	CM
				HP Scitex 15500 Corrugated	UV-Curable	6	CM	7,165	N/A	126	3.2	CM
HP Scitex 11000	UV-Curable			6	CM	6,996	N/A	126	3.2	CM		
HP Scitex FB7600	UV-Curable			6	600	5,382	967	126	3.2	CM		
HP Scitex FB750	UV-Curable			6+W	1,200x600	915	107	98	2.5	CM		
165	Hollanders Printing Systems hollanders-ps.nl			ColorBooster 250	D, SUB, A, R	8	900	688	378	99	2.5	CM
				ColorBooster 320	D, SUB, A, R	8	900	755	480	130	3.2	CM
				ColorBooster XL 320	D, SUB, A, R	7	720	958	592	130	3.2	CM
		ColorBooster DS 320	D, SUB, A, R	8	720	862	485	125	3.2	CM		

KEY

- A = Acid
 - C = Clear
 - CM = Contact Manufacturer
 - CD = Contact Dealer
 - D = Disperse
 - DS = Dye-Sublimation
 - ES = Eco-Solvent
 - LS = Light-Solvent
 - MS = Mild-Solvent
 - N/A = Not Applicable
 - P = Primer
 - R = Reactive
 - S = Spot
 - SUB = Sublimation
 - V = Varnish
 - W = White
 - WB = Water-Based
- Note: All printers are piezo drop on demand technology except when noted with *, which denotes thermal technology.

OKI

Experience
NEXT
GENERATION

104" ColorPainter Printer

High-speed productivity with low-odor SX Ink in 8-color configuration.

ColorPainter.

www.okidata.com/wide-format

The wide-format printing group of SII joined OKI on October 1, 2015.

GRAND FORMAT PRINTERS

Digital Output considers devices over 95 inches in width grand format.

DIGITAL
Output

As seen in the
December 2015 issue

KEY

- A = Acid
- C = Clear
- CM = Contact Manufacturer
- CD = Contact Dealer
- D = Disperse
- DS = Dye-Sublimation
- ES = Eco-Solvent
- LS = Light-Solvent
- MS = Mild-Solvent
- N/A = Not Applicable
- P = Primer
- R = Reactive
- S = Spot
- SUB = Sublimation
- V = Varnish
- W = White
- WB = Water-Based

Note: All printers are piezo drop on demand technology except when noted with *, which denotes thermal technology.

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing	
						Production	Quality	Inches	Meters		
166	Infiniti Fina aeromatrix.com	Fina 250Q	Solvent		4	1,440	454	267	98	2.5	CM
		Fina 320SW	Solvent		4	1,200	540	111	126	3.2	CM
		Fina 330PQ	Solvent		4	1,440	452	170	126	3.2	CM
		Fina 330TX	WB SUB		4 or 6	600x1,600	1,800	450	125	3.175	CM
		Fina 2512 UV	UV		6+W	2,400	290	182	96	2.4	CM
		Economic Sky 330SW	Solvent		4 or 8	1,200	678	167	125	3.175	CM
		Fina 250PQ	Solvent		4	1,440	914	226	98	2.49	CM
167	InkTec America Corp. jetrix.co.kr	RX3200	UV		4 or 8	CM	2,390	CM	126	3.2	CM
		RX5000	UV		4 or 8	CM	2,754	CM	197	5	CM
168	INX International Ink Co. inxinternational.com/evolve	MD1000	UV-Curable		5	1,200x900	317	105	96	2	CM
169	Media One mediaoneusa.com	ColorPainter H2-104s	MS		4 or 8	900x900	1,075	377	103.6	2.6	CM
		ColorPainter H2P-104s	MS		4	900x900	855	399	103.6	2.6	CM
		d.gen Teleios Grande	DS/Pigment		4 or 8	1,200	1,938	484	130	3	CM
		d.gen Teleios XL2600	DS/Pigment		4	1,200	1,291	484	102	3	CM
		Duo - 100	S, DS			1,440	388	CM	100	2.5	\$19,000
		Duo - 130	S, DS			1,440	388	CM	130	3	\$19,000
		M1 GS Bullet	DS		4 or 6	1,200	1,938	484	130	3.2	CM
		Mimaki JV34-260	ES, DS		4	1,440	322	142	104	2.6	CM
		Mimaki JV5 Series	ES		6	1,440	668	272	129	3.2	CM
170	Meijet meijet.com	3202DX	LateX/DS		4	2,400x720	1,740	440	126	3.2	\$89,000
		3200EP	ES		4	1,440x720	1,200	330	126	3.2	\$35,000
		3204PL	Solvent		4	720x1,600	2,758	688	126	3.2	\$45,000
171	Mimaki USA, Inc. mimakiusa.com	JV5-320S	ES		6	1,440	668	272	129	3.2	CM
		JV5-320DS	DS		6	1,440	648	268	129	3.2	CM
		JV34-260	ES, DS		4	1,440	322	142	104	2.6	CM
172	MS Printing/Expand expandsystems.com	MS JPKevo	R, A, D, SUB, Pigment		CM	600x600	3,117	CM	126	3.2	CM
		MS Lario	R, A, D, SUB, Pigment		CM	600x600	CM	CM	126	3.2	CM
173	MTL Print Ltd. mtl-print.com	NUR Star 304D	UV		4	1,440	2,700	800	98	2.5	CM
		NUR Star 305D	UV		4	1,440	2,700	800	120	3	CM
174	Mutoh America, Inc. mutoh.com	ValueJet 2638X	ES/Aqueous		8	1,440	1,168	CM	104	2.6	\$49,995
175	Novus Imaging, Inc. novusimaging.com	Synergia H/UV	UV		4+W, 6+W, 8+W, 9+W	2,400	1,500	860	126	3.2	CM
		Ultra	UV LED		CM	1,200	2,320	680	120x60	3x1.5	CM
176	OKI Data Americas okidata.com	ColorPainter H2-104s	MS		4 or 8	900x900	1,075	377	104	2.6	\$79,999
		ColorPainter H2P-104s	Low Solvent		4	900x900	855	399	104	2.6	\$86,999
		ColorPainter H3-104s	ES		8	900x900	609	406	104	2.6	\$79,999
177	Paradigm Imaging Group paradigmimaging.com	SID Mercury 320	ES		4 or 6	720	807	312	126	3.2	\$39,500
		SID Mercury GS 320	ES		4 or 6	1,440	1,011	258	126	3.2	\$64,900
		SID Titan 320	ES		4 or 6	720	818	279	126	3.2	\$32,500
		SID Titan 320 GT	ES		6	720	914	409	126	3.2	\$39,900
		SID Titan 320 GS	ES		6	1,440	979	333	126	3.2	\$52,900
		SID Triton S 250	ES		4	2,880	387	193	98	2.5	\$26,900
		SID Triton S 320	ES		4	2,880	457	256	126	3.2	\$31,900
		SID Xpress	ES		4	720	2,818	753	126	3.2	\$63,500
178	PrinterEvolution, LLC printerevolution.com	Eos 100 DS	Aqueous DS		4	1,200	1,100	CM	100	3.5	CM
		Eos 126 DS	Aqueous DS		4	1,200	860	580	126	3.2	CM
		Evo33 DS 4C	Aqueous DS		4	1,200	860	580	126	3.2	CM
		Kayo126 DS	Aqueous DS		4	1,200	840	560	126	3.2	CM
		Neo74	Aqueous DS		4	1,440	344	CM	74	1.8	CM
179	Roland DGA Corporation rolanddga.com	SOLJET PRO II V SJ-1045	ES		4 or 6	1,440	484	86	102.3	2.6	\$55,995
180	Screen USA screenusa.com	Truepress Jet2500UV	UV-Curable		7	1,500	366	CM	98.4	2.5	CM
		Truepress Jet W1632UV	UV-Curable		6	900	1,012	CM	139	3.5	CM
		Truepress Jet W3200UV Std.	UV-Curable		7	1,000	945	CM	125.9	3.2	CM
		Truepress Jet W3200UV HS	UV-Curable		7	1,000	1,615	CM	125.9	3.2	CM
181	Splash of Color, Inc. splashofcolor.com	ATPColor DFP-56EW GS	D Dye		6	600	1,280	CM	126	3.3	CM
		ATPColor DFP-1320 G4	D Dye		4	600	850	CM	126	3.3	CM
		HeatWave DFP-104	SUB, D Dye		4 or 6	1,440	323	CM	104	2.6	CM
182	Stratojet USA stratojetusa.com	Shark FBR 2512	UV-Curable		4 to 8	1,440	700	400	96	2.5	\$118,000
		Shark E-FB 2512	UV-Curable		4 to 6	1,220	480	360	96	2.5	\$55,999
183	swissqprint swissqprint.com	Nyala 2	UV-Curable		CM	1,080	CM	CM	126x78	3.2x2	CM
		Oryx 2	UV-Curable		CM	1,080	CM	CM	98x78	2.5x2	CM
184	Teckwin International LLC teckwin.com	Impala 2	UV-Curable		CM	1,080	CM	CM	98x78	2.5x2	CM
		TS2513L	UV-Curable		6+2W	CM	CM	CM	96	2.5	CM
		TS3200L	UV LED		6+2W	720x1,200	CM	CM	126	3.2	CM
185	Vanguard Digital Printing vanguarddigital.com	VR5D	UV		CM	1,800	CM	CM	99x49	2.5x1.2	CM

