

SUPER



**Optimum Performance.
Superior Quality.
Industrial Strength.**

104" ColorPainter™ Printer
High-speed productivity with low-odor
SX Ink in 8-color configuration.



OKI
ColorPainter.

1-800-264-1272
www.oki.com/us/colorpainter

 **INFO** #10

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing
						Production	Quality	Inches	Meters	
100	Agfa Graphics agfagraphics.us	Anapurna MZ540i FB	UV-Curable	6+W	540x1,080	1,001	194	100	2.54	CM
		Jeti Titan S	UV-Curable	6+W	720x1,200	1,722	908	124	3.2	CM
		Jeti Titan HS	UV-Curable	6+W	720x1,200	1,722	908	124	3.2	CM
		Jeti Mira MG2716 S	UV LED Curable	6+W	720x1,200	1,216	161	106	2.69	CM
		Jeti Mira MG2732 S	UV LED Curable	6+W	720x1,200	1,216	172	106	2.69	CM
		Jeti Mira MG2716 HS	UV LED Curable	6+W	720x1,200	2,486	323	106	2.69	CM
		Jeti Mira MG2732 HS	UV LED Curable	6+W	720x1,200	2,486	323	106	2.69	CM
		Jeti Tauro HZ500	UV LED Curable	6, 6+4W, 6+8W, or 6+W, P	720x1,200	2,960	667	100	2.54	CM
		Anapurna HZ500i LED	UV LED Curable	6+W	720x1,440	1,238	183	98	2.5	CM
		Anapurna FBZ540i LED	UV LED Curable	6+W	540x1,080	1,034	161	100	2.54	CM
		Anapurna HZ200i LED	UV LED Curable	6+W	720x1,440	1,388	205	126	3.2	CM
		Anapurna RTR3200i LED	UV LED Curable	4+W or 6	720x1,440	1,367	194	126	3.2	CM
		Jeti Ceres RTR3200 LED	UV LED Curable	CMYK, LC, LM, W	720x1,200	2,002	387	126	3.2	CM
101	Ampla Digital ampladigital.com	Targa XT	Solvent	4	1,200	3,443	CM	126	3.2	CM
		Targa XT Hybrid LED UV	UV-Curable	4	1,200	1,076	CM	126	3.2	CM
		Elite 3204	Solvent	4	1,200	861	CM	126	3.2	CM
		Elite RR Led UV	UV-Curable	4	1,200	430	CM	126	3.2	CM
		Targa UV Flatbed	UV-Curable	4	1,200	764	CM	96x48	2.44x1.22	CM
102	Canon U.S.A., Inc. usa.canon.com	Océ Arizona 318 GL	UV-Curable	4+W	1,440	131	90	98.4	2.5	CM
		Océ Arizona 365 GT	UV-Curable	5	1,440	239	165	98.4	2.5	CM
		Océ Arizona 6160 XTS	UV-Curable	6	1,400	1,076	775	98.4	2.5	CM
		Océ Arizona 6170 XTS	UV-Curable	7	1,400	1,076	775	98.4	2.5	CM
		Océ Arizona 1240 GT	UV-Curable	4	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1240 XT	UV-Curable	4	1,400	377	157	98.4	2.5	CM
		Océ Arizona 1260 GT	UV-Curable	6	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1260 XT	UV-Curable	6	1,400	377	157	98.4	2.5	CM
		Océ Arizona 1280 GT	UV-Curable	8	1,400	362	153	98.4	2.5	CM
		Océ Arizona 1280 XT	UV-Curable	8	1,400	377	157	98.4	2.5	CM
		Océ Arizona 2260 GT	UV-Curable	6	1,400	395	280	98.4	2.5	CM
		Océ Arizona 2260 XT	UV-Curable	6	1,400	427	297	98.4	2.5	CM
		Océ Arizona 2280 GT	UV-Curable	8	1,400	395	280	98.4	2.5	CM
		Océ Arizona 2280 XT	UV-Curable	8	1,400	427	297	98.4	2.5	CM
103	CET Color cetcolor.com	Q5-Series 500	UV-Curable	4+W	1,200x1,200	960	249	48x96	CM	CM
		Q5-Series 500h	UV-Curable	4+W	1,200x1,200	960	249	98	2.5	CM
		Q5-Series 1000	UV-Curable	4+W	1,200x1,200	1,152	336	60x120	CM	CM
		Q5-Series 1000h	UV-Curable	4+W	1,200x1,200	1,152	336	126	3.2	CM
		K2-series 250	UV-Curable	4+W	1,200x1,200	CM	CM	CM	CM	CM
		3200UV	UV-Curable	4+W	1,200x1,200	600	CM	126	3.2	CM
104	d.gen International dgen.com	Teleios Grande H6	DS, PIG, REA	6	2,400	1,520	790	130	3.3	CM
		Teleios Grande G5	DS, PIG, REA	4 or 8	2,400	3,200	1,200	130	3.3	CM
		Teleios/XL2600G5	DS, PIG, REA	4 or 8	2,400	2,880	1,000	105	2.6	CM
105	DGI dgi-net.com	VE-3204D	LS	4	1,440	484	CM	126	3.2	CM
		VE-3204X	ES	4	1,440	2,691	431	130	3.3	CM
		FT-3204X	DS	4	1,440	2,691	431	130	3.3	CM
106	Dillii Co. dillii.co.kr	Neo Titan 1600	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM
		Neo Titan 2500	UV-Curable	6+W, C	720x1,440	360	CM	98	2.5	CM
107	Durst Image Technology US LLC durstus.com	Rho 1312	UV-Curable	8	1,000	6,670	5,100	98	2.5	CM
		Rho 1330	UV-Curable	8	600	13,400	9,400	98	2.5	CM
		Rho 312R Plus	UV-Curable	8	1,200	4,300	1,635	196	5	CM
		Rho 312R Plus	UV-Curable	8	1,200	2,950	1,375	126	3.2	CM
		Rho P10 250 HS Plus	UV-Curable	8	1,000	4,300	1,500	98	2.5	CM
		Delta WT 250	Durst Water Technology	CM	1,000	1,890	1,215	98	2.5	CM
		Rhotex 500	WB DIS Dye	8	600	3,330	1,340	196	5	CM
		Rhotex 325	WB DIS Dye	8	800	4,130	1,800	126	3.2	CM
		Alpha 330	WB, D, DDS, PIGM, REA	8	500	15,820	7,910	130	3.3	CM
108	EFI efi.com	Quantum	UV	7+W	1,200	2,687	2687	120/196	3/5	CM
		Quantum LX	UV LED	8	1,200	CM	CM	120/195	3/5	CM
		Reggiani PRO 340	AQ DIS Dye	4	2,400	8,600	CM	133	3.4	CM
		VUTEk Sr	UV LED	7+W	1,200	4,896	CM	198	5	CM

WIDE Print

Digital Output considers devices over 95 inches in width grand format.

INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Maximum Speed (sf/h)		Maximum Width		Pricing
						Production	Quality	Inches	Meters	
108	EFI, continued efi.com	VUTEk 3r	UV LED	7+W	1,200	3,715	CM	138	3.5	CM
		VUTEk LX3 Pro	UV LED	8+W	1,000	3,400	2,300	126	3.2	CM
		VUTEk GS3250	UV-Curable	8+W	1,000	2,400	600	126.6	3.2	CM
		VUTEk GS3250LX	UV LED	4+W or 8+W	1,000	2,400	1,200	126.5	3.2	CM
		VUTEk GS3250LXr	UV LED	6	1,000	1,200	600	126.5	3.2	CM
		VUTEk GS3250r	UV-Curable	6	1,000	2,400	1,200	126.5	3.2	CM
		VUTEk GS5000r	UV-Curable	4, 8, or 8+W	1,000	3,100	1,550	196.8	5	CM
		VUTEk GS5250LXr Pro	UV LED	8+W	1,000	2,800	700	204	5.1	CM
		VUTEk GS5500LXr Pro	UV LED	8 or 8+W	1,000	2,800	600	196.8	5	CM
	Electronic Sign Supply Corp. electrosignsupply.com	VUTEk HS100 Pro	UV-Curable	8	1,000	3,600	600	126.6	3.2	CM
		VUTEk HS125 Pro	UV-Curable	4	600	4,500	750	126.5	3.2	CM
		K-320S	Solvent	8	720x1,400	236	129	120	3	CM
		E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM
		Q-320S	Solvent, ES, SUB	7	720x1,440	1,830	646	120	3	CM
		UV+ 320H Series X	UV	4, 8, or 16	CM	969	538	126	3.2	CM
		MUV-320 R2R	UV	7	CM	969	538	120	3	CM
		QU-Jet	UV LED	4 or 6	720x1,440	2,047	1,339	126	3.2	CM
		T-320W	SUB, DIS, PIG	4, 6, or 8	1,080	CM	CM	126	3.2	CM
	Fujifilm NA Corp., Graphic Systems Div. fujifilminkjet.com	E-320SW	ES, DIS, WB	4	CM	592	291	126	3.2	CM
		Acuity LED 3200R	UV LED	8	1,200	1,184	215	126	3.2	CM
		Acuity Select 20 X2	UV	4, 6, or 8	1,200	368	153	120	3	CM
		Acuity Select HS 30 X2	UV	8	1,200	696	280	120	3	CM
		Acuity F	UV	6 or 7	1,200	1,668	775	120	3	CM
		Uvistar Hybrid 320	UV	8	1,200	2,100	730	123	3.1	CM
		Inca Onset XI-LT	UV	4, 6, or 8	1,200	2,152	2,152	126	3.2	CM
		Inca Onset XI	UV	4, 6, or 8	1,200	4,304	3,336	126	3.2	CM
		Inca Onset X2	UV	8+	1,200	6,889	5,382	126	3.2	CM
	Gandy Digital gandydigital.com	Inca Onset X3	UV	8+	1,200	9,688	8,611	126	3.2	CM
		Pred8tor	UV	4+W, 6+W, or 8	900x720	1,410	480	96	2.5	\$275,000
		Domin8tor	UV	4+W, 6+W, or 8	900x720	1,650	576	120	3	\$325,000
		Softjet4 - 3312	WB	4 or 6	900x600	800	430	130	3.3	\$225,000
		Softjet4 - 3308	WB	4 or 6	900x600	650	300	102	2.6	\$125,000
		Fascin8tor	UV	4+W, 6+W, or 8	900x720	2,500	1,250	197	5	\$325,000
		Termin8tor	ES and MS	4	600x1,200	2,200	700	126	3.2	\$125,000
		Softjet5000	WB	4 or 6	600x1,200	3,444	1,292	209	5.3	CM
112	Hollanders Printing Systems hollanders-ps.nl	ColorBooster 250	WB: DIS, SUB	8	900	1,290	690	99	2.52	CM
		ColorBooster 320	WB: DIS, SUB	8	900	1,290	775	127	3.22	CM
		ColorBooster DS 320	WB: DIS, SUB	CM	720	860	860	126	3.17	CM
113	HP Inc. hp.com/go/graphicarts	Latex 1500 Printer*	Latex	6+0	1,200x1,200	800	N/A	126	3.2	CM
		Latex 3200 Printer*	Latex	6+0	1,200x1,200	1,950	290	126	3.2	CM
		Latex 3600 Printer*	Latex	6+0	1,200x1,200	1,950	290	126	3.2	CM
		Scitex 17000 Corrugated Press	UV-Curable	4	CM	10,764	N/A	126	3.2	CM
		Scitex 15500 Corrugated Press	UV-Curable	6	CM	7,165	N/A	126	3.2	CM
		Scitex 11000 Industrial Press	UV-Curable	6	CM	6,997	N/A	126	3.2	CM
		Scitex 9000 Industrial Press	UV-Curable	6	CM	90 bed/hr	N/A	126	3.2	CM
		Scitex FB7600 Industrial Press	UV-Curable	6	600	5,382	967	126	3.2	CM
		Scitex FB750 Industrial Printer	UV-Curable	6+W	1,200x600	915	107	98	2.5	CM
114	Infiniti Fina aeromatrix.com	PageWide Web Press T400S	WB PIG	4	1,200	125,000	N/A	108	2.7	CM
		PageWide Web Press T1100S	WB PIG	4	1,200	330,000	N/A	109.2	2.8	CM
		Fina 250Q	Solvent	4	1,440	434	267	98	2.5	CM
		Fina 320SW	Solvent	4	1,200	540	111	126	3.2	CM
		Fina 330PQ	Solvent	4	1,440	452	170	126	3.2	CM
		Fina 330TX	WB SUB	4 or 6	600x1,600	1,800	450	125	3.175	CM
		Fina 2512 UV	UV	6+W	2,400	290	182	96	2.4	CM
		Economic Sky 330SW	Solvent	4 or 8	1,200	678	167	125	3.175	CM
		Fina 250PQ	Solvent	4	1,440	914	226	98	2.49	CM
115	Media One mediaoneusa.com	ColorPainter H2-104s	MS	4 or 8	900x900	1,075	377	103.6	2.6	CM
		ColorPainter H2P-104s	MS	4	900x900	855	399	103.6	2.6	CM
		d.gen Teleios Grande	DS/PIG	4 or 8	1,200	1,938	484	130	3	CM

KEY

AQ = Aqueous
C = Clear
CM = Contact Manufacturer
DIS = Disperse
DS = Dye-Sublimation
ES = Eco-Solvent
LC = Light Cyan
LM = Light Magenta
LS = Light-Solvent
MS = Mild-Solvent
N/A = Not Applicable
O = Optimizer

P = Primer
PIG = Pigment
REA = Reactive
SUB = Sublimation
V = Varnish
W = White
WB = Water-Based

*All printers are piezo drop on demand technology except when noted with *, denoting thermal technology.*



ULTRA® 3200

UV LED Roll-to-Roll Printer

Four-color CMYK and true four-level greyscale printing up to 3.2 meters

NOVUS Imaging
AN M&R COMPANY

For more info please visit:
Novusimaging.com/ultra3200

SUPERWIDE *Print*

Digital Output considers devices over 95 inches in width grand format.

KEY

- AQ = Aqueous
C = Clear
CM = Contact Manufacturer
DIS = Disperse
DS = Dye-Sublimation
ES = Eco-Solvent
LC = Light Cyan
LM = Light Magenta
LS = Light-Solvent
MS = Mild-Solvent
N/A = Not Applicable
O = Optimizer

P = Primer
PIG = Pigment
REA = Reactive
SUB = Sublimation
V = Varnish
W = White
WB = Water-Based

*All printers are piezo drop on demand technology except when noted with *, denoting thermal technology.*

						Maximum Speed (sf/h)		Maximum Width		
INFO#	Company/Website	Product Name	Ink Type	Ink Channels	Resolution (dpi)	Production	Quality	Inches	Meters	Pricing
115	Media One, continued	d.gen Teleios XL2600	DS/PIG	4	1,200	1,291	484	102	3	CM
	mediaoneusa.com	Duo - 100	DS	CM	1,440	388	CM	100	2.5	\$19,000
		Duo - 130	DS	CM	1,440	388	CM	130	3	\$19,000
		M1 G5 Bullet	DS	4 or 6	1,200	1,938	484	130	3.2	CM
		Mimaki JV34-260	ES, DS	4	1,440	322	142	104	2.6	CM
		Mimaki JVS Series	ES	6	1,440	668	272	129	3.2	CM
		d.gen Teleios Grande H6	DS	6	1,800	763	CM	126	3.2	CM
116	Mimaki USA, Inc.	JFX200-2513	UV-Curable	8	1,200	269	CM	98.4	2.5	CM
	mimakiusa.com	JFX200-2531	UV-Curable	8	1,200	269	CM	122	3.1	CM
		JFX500-2131	UV-Curable	8	1,200	646	CM	122	3.1	CM
		UV55-320	UV	8	1,200	430	215	127.9	3.25	CM
		TS500P-3200	DS	8	1,080	753	538	129.9	3.3	CM
		TX500P-3200DS	SUB	6	1,080	1,399	538	129.9	3.3	CM
117	MS Printing Solutions/Expand Systems	MS JPKevo	REA, Acid, DIS, SUB, PIG	4 to 8	600x600	10,333	5,600	126	3.2	CM
	expandsystems.com	MS Lario	REA, Acid, DIS, SUB, PIG	4 to 8	600x600	65,000	50,000	126	3.2	CM
		JP4 320	SUB	4 to 8	600x600	3,000	1,700	126	3.2	CM
118	Mutoh America, Inc.	ValueJet 2638	ES/AQ	8	1,440	1,168	CM	104	2.6	\$49,995
	mutoh.com									
119	Novus Imaging, Inc.	Synergia Hybrid/UV	UV	4+W, 6+W, 8+W, or 9+W	2,400	1,500	860	126	3.2	CM
	novusimaging.com	ULTRA UV LED Flatbed	UV LED	4+W, V	1,200	1,340	680	126	3.2	CM
		ULTRA 3200 Roll To Roll	UV LED	4+W, V	1,200	1,340	680	126	3.2	CM
120	OKI Data Americas	ColorPainter H3-104s	ES	8	900x900	609	406	104	2.6	\$75,995
	oki.com/us/colorpainter									
121	Paradigm Imaging Group	PIXis 32ES	ES	4	1,440	430	720	126	3.2	\$28,500
	paradigmimaging.com	PIXis 2513UV	UV	6	720x1,200	252	1,200	96x48	2.5	\$31,500
		SID Mercury 320	ES	4 or 6	720	807	312	126	3.2	\$39,500
		SID Mercury GS 320	ES	4 or 6	1,440	1,011	258	126	3.2	\$64,900
		SID Titan 320	ES	4 or 6	720	818	279	126	3.2	\$32,500
		SID Titan 320 GT	ES	6	720	914	409	126	3.2	\$39,900
		SID Titan 320 GS	ES	6	1,440	979	333	126	3.2	\$52,900
		SID Triton S 250	ES	4	2,880	387	193	98	2.5	\$26,900
		SID Triton S 320	ES	4	2,880	437	236	126	3.2	\$31,900
		SID Xpress	ES	4	720	2,818	753	126	3.2	\$63,500
122	PrinterEvolution, LLC	Eos 100 DS	AQ DS	8 to 12	1,200	820	440	100	3.5	CM
	printerevolution.com	Eos 126 DS	AQ DS	4 to 12	1,200	925	580	126	3.2	CM
		Evo33 DS 4C	AQ DS	4	1,200	860	580	126	3.2	CM
		Kayo126 DS	AQ DS	8 to 12	1,200	870	470	126	3.2	CM
		T2600 DS	AQ DS	2 or 4	1,200	1,700	1,100	102	2.6	CM
		T3200 DS	AQ DS	2 or 4	1,200	1,700	1,100	126	3.2	CM
		D2600DS	AQ DS	2 or 4	1,200	1,700	1,100	102	2.6	CM
		D3200 DS	AQ DS	2 or 4	1,200	1,700	1,100	126	3.2	CM
		D5300 DS	AQ DS	4 or 8	1,200	2,020	1,300	208	5.3	CM
123	SCG America	Keundo TX6	WB DIS SUB	6	400	915	615	126	3.2	\$230,000
	scg-america.com	2513 UV Flatbed	UV	6	1,200	270	105	100x51	2.5x1.3	\$69,995
		126-Inch Eco Solvent	ES	8	1,440	430	215	126	3.2	\$27,995
124	Screen Americas	Truepress Jet W3200UV II ST	UV-Curable	4 CMYK, +2 LC LM, +2 W	1,000	945	CM	125.9	3.2	CM
	screenamericas.com	Truepress Jet W3200UV II HS	UV-Curable	4 CMYK, +2 LC LM, +2 W	1,000	1,951	CM	125.9	3.2	CM
125	Splash of Color, Inc.	ATPColor DFP-56EW G5	DIS Dye	6	600	1,280	CM	126	3.3	CM
	splashofcolor.com	ATPColor DFP-1320 G4	DIS Dye	4	600	850	CM	126	3.3	CM
126	Stratojet USA	Shark FBR 2512	UV-Curable	4 to 8	1,200	1,300	700	96	2.5	\$118,000
	stratojetusa.com	Shark EFB 2512	UV-Curable	4 to 8	1,200	600	360	96	2.5	\$55,999
		Shark FB 2532	UV-Curable	4 to 8	1,200	1,300	700	96	2.5	CM
		Shark FB 2512	UV-Curable	4 to 8	1,200	1,300	540	96	2.5	CM
		Shark II UV	UV-Curable	4 to 8	1,200	1,050	450	131	3.2	\$78,000
127	swissQprint	Oryx LED	UV LED	9	1,080	215	194	98	2.5	CM
	swissqprint.com	Impala LED	UV LED	9	1,080	969	517	98	2.5	CM
		Nyala LED	UV LED	9	1,080	1,109	581	126	3.2	CM
128	Teckwin International LLC	TW 3200r	UV-Curable	4, 4+W, 6, or 6+W	CM	1,689	215	125	3.2	CM
	teckwin.com	TW 5000r	UV-Curable	4, 4+W, 6, or 6+W	CM	2,098	592	196	5	CM
		TeckPro UV3200	UV-Curable	7	800x800	990	450	130	3.3	CM
		TS2513L	UV-Curable	6+2W	CM	CM	CM	96	2.5	CM
129	Vanguard Digital Printing Systems	VK300D	UV LED Curable	10	1,800	1,500	1,980	126	3.2	CM
	vanguarddigital.com	VRSD	UV LED Curable	10	1,800	720	450	99	2.5	CM
		VT3200	DS	8	1,800	1,960	550	126	3.2	CM